

H1N1 FLU (SWINE FLU) – Faculty, Staff & Students’ Guide

Swine flu is a respiratory disease of pigs that doesn’t normally impact humans. However, it is contagious and is currently spreading from human to human. This typically occurs the same way as seasonal flu: by coming in contact with infected people who are coughing or sneezing.

Signs and Symptoms

The symptoms of swine flu in people are similar to the symptoms of regular human flu and include:

- Fever
- Cough
- Sore throat
- Body aches
- Headache
- Chills
- Fatigue

Some people have reported diarrhea and vomiting associated with swine flu. In the past, severe illness (pneumonia and respiratory failure) and deaths have been reported with swine flu infection in people. Like seasonal flu, swine flu may cause a worsening of underlying chronic medical conditions.

Severity of H1N1 Virus (Swine Flu)

Illness with the new H1N1 virus has ranged from mild to severe. While most people who have been sick have recovered without needing medical attention, hospitalizations and deaths from infection with this virus have occurred.

Take this condition seriously, as swine flu varies from mild to severe. If you feel sick, see a doctor. You may need to limit your contact with others so you don’t infect them. Avoid spreading germs by:

- Not touching your eyes, nose or mouth
- Covering your nose and mouth with a tissue when you cough or sneeze (and then throwing that tissue out in an open container!)
- Washing your hands often with soap and water, especially after coughing or sneezing, or using alcohol-based hand cleaners

Emergency Warning Signs

Seek emergency medical care if you become ill and experience any of the following warning signs:

In children, emergency warning signs that need urgent medical attention include:

- Fast breathing or trouble breathing
- Bluish skin color
- Not drinking enough fluids
- Not waking up or not interacting
- Being so irritable that the child does not want to be held
- Flu-like symptoms improve but then return with fever and worse cough
- Fever with a rash

In adult, emergency warning signs that need urgent medical attention include:

- Difficulty breathing or shortness of breath
- Pain or pressure in the chest or abdomen
- Sudden dizziness
- Confusion
- Severe or persistent vomiting

What to do if you get sick:

CDC recommends that you stay home for at least 24 hours after your fever is gone except to get medical care or for other necessities. (Your fever should be gone without the use of a fever-reducing medicine.) Stay away from others as much as possible to keep from making others sick. Staying at home means that you should not leave your home except to seek medical care. This means avoiding normal activities, including work, school, travel, shopping, social events, and public gatherings.

Source: www.cdc.gov/swineflu/swineflu_you.htm